# Introduction



While searching the web I came across some cheap yagis HDTV antenna, which claim to operate from 45 to 860MHZ, have a 150 miles range (22-38dB gain) and come with a rotator. All this for for \$32.99 including shipping. I wanted to see how well would these antennas work on the 2m/70cm band, and see if I could modify them to work better on these bands. The particular model I got is the ESky HG-981 from amazon.

Here are the specs for this antennas:

- Frequency: 45-860 MHz

- Gain: 22-38dB - Rotation: 360°

- Channel: VHF1-12 UHF21-69

- Impedance: 75Ω

- Power: 3W


- Power Supply: AC110V

1 / 16

Written by Lior Monday, 12 August 2013 15:46 - Last Updated Thursday, 15 August 2013 06:59

- Rotation speed: 2-4 rounds/min

Before assembling it, I took it apart and measured everything on it so I can replicate it in an antenna simulator to see what I need to change.




There is only a single coaxial cable leading into the antenna, which contains a filter to pass 12V

AC into the motor, and filter out all other higher frequencies into the antenna.





Before going into the radiating elements, the signal goes though another filter (a diplexer) which seems to split VHF and UHF signals into separate radiating elements from the signal feed line.

The VHF radiating element is a folded dipole, while the UHF looks like a dipole with two fingers for radials.




I then reproduces the antenna in Auto-desk Inventor to capture all of its parameters. <u>Here is a PDF file with all the dimensions.</u>





Written by Lior



Written by Lior

51.4286	-103	-4	-104
77.1429	-102	-3	-103
102.8571	-100	-1	-101
128.5714	-99	0	-100
154.2857	-100	-1	-98
180	-103	-4	-99
205.7143	-113	-14	-103
231.4286	-115	-16	-108


Written by Lior

Monday, 12 August 2013 15:46 - Last Updated Thursday, 15 August 2013 06:59

257.1429	-111	-12	-116
282.8571	-109	-10	-114
308.5714	-108	-9	-108
334.2857	-107	-8	-107

Here is a normalized polar plot for the 60W transmission.

# HG-981 Normalized Recived Power TX: 146.550MHz,X-50A 4.5dB gain, distance 7.12889 km




**The substitution of the control of** 

The next step is to simulate this antenna using <u>NEC2</u> so I could determine what I would need to adjust inorder to improve the antenna for use on the 2M/70cm band.


Here are some preliminary simulations results, which I am still working out to see if they are correct.

Here is the NEC file I am using.


2M simulations results





f = 140 MHz maxgain = 2.46 dBi vgain = -0.25 dBi




f = 146 MHz maxgain = 2.52 dBi vgain = -22.39 dBi









Written by Lior





f = 410 MHz maxgain = 9.67 dBi vgain = -2.85 dBi



Written by Lior

